



Port of Juneau

155 S. Seward Street • Juneau, AK 99801
(907) 586-0292 Phone • (907) 586-0295 Fax

NOTICE OF PROPOSED CHANGES TO REGULATION Amendment of Title 05, Chapter 30 Docks and Harbors Shorepower Access Fees

DOCKS & HARBORS BOARD IS PROPOSING TO ADOPT AN AMENDMENT TO THE FOLLOWING REGULATIONS.

05 CBJAC 30.010 Shorepower access fees.

(b) Basis for computing charges – *the proposed change is to remove (With approval of the Docks and Harbors Department, a person may use a 50 amp service and be assessed a 30 amp fee provided the service is current limited to 30 amps).*

(e) Daily shorepower access fees.

<u>Connection Type</u>	<u>Current Fee</u>	<u>Proposed Fee</u>
20 amp(120V, 1 phase)	\$4.80	\$6.00
30 amp (120V, 1 phase)	\$7.20	\$9.00
50 amp (208V, 1 phase)	\$24.00	\$25.00
50 amp (208V, 3 phase)	-----	\$52.00
100 amp (208V, 3 phase)	\$48.00	\$86.00
100 amp (480V, 3 phase)	\$120.00	\$198.00

(i) Shorepower cost adjustment - The shorepower access fees should be reviewed and adjusted annually.

These regulations are proposed for adoption pursuant to CBJ's 01.60 and CBJ 85.02.060, and CBJ 85.02.100. Interested persons may obtain a full copy of the proposed regulations at any of the harbor offices, at the CBJ libraries, at the CBJ Clerk's Office, and online at www.juneau.org/harbors/proposed_regulations.php

The Board is holding a public hearing and intends to take final action on the proposed changes on July 27th at 5 pm in the Assembly Chambers. This will be introduced to the Assembly on July 31st at 7:00 p.m. in the Assembly Chambers. Written comments may also be submitted to the Port Director's Office by fax at (907) 586-0295, by hard copy at 76 Egan Drive, and online by web form at the above web address until 4:30 p.m. on July 27th.

Interested persons may obtain more information by calling Port Director Carl Uchtyl at 586-0292.

A REGULATION OF THE CITY AND BOROUGH OF JUNEAU, ALASKA

**Adoption of Amendments to Title 05, Chapter 30
Docks and Harbors Shorepower Access Fees**

PURSUANT TO AUTHORITY GRANTED BY THE ASSEMBLY OF THE CITY AND BOROUGH OF JUNEAU, THE DOCKS AND HARBORS BOARD IS PROPOSING TO ADOPT THE FOLLOWING REGULATIONS:

Section 1. Authority. These regulations are proposed for adoption pursuant to CBJ 01.60 and CBJ 85.02.060, 85.02.100, and 85.20.010.

Section 2. Amendment of Section. The City and Borough of Juneau Administrative Code of Regulations in Title 05, Chapter 30, is amended as follows:

05 CBJAC 30.010 - Shorepower access fees.

...

(b) *Basis for computing charges.* The Docks and Harbors Department assesses shorepower access fees based upon the type of connection accessed, the length of time a person accesses the connection, the season of the year, and whether a person uses a boat as a residence. Fees are assessed for five types of connections: 20 amp, 30 amp, 50 amp, 100 amp/208 volt, and 100 amp/480 volt. ~~With approval of the Docks and Harbors Department, a person may use a 50 amp service and be assessed a 30 amp fee provided the service is current limited to 30 amps.~~ The Docks and Harbors Department assesses fees on either a daily or monthly period. The Docks and Harbors Department assesses a daily fee for each calendar day, or portion thereof, that a person plugs into a shorepower connection. As an alternate to being assessed the daily fee, a person may elect to pay a monthly fee, good for a calendar month, or portion thereof. To qualify for the monthly fee, a person must pay the applicable fee in advance of the calendar month or arrange for automated monthly billings with the Docks and Harbors Department, if available.

...

(e) *Daily shorepower access fees.* Fees to access shorepower on a daily basis are as follows:

Connection Type	Fee
20 amp (120V, 1 phase)	\$4.80 <u>\$ 6.00</u>
30 amp (120V, 1 phase)	7.20 <u>\$ 9.00</u>
50 amp (208V, 1 phase)	24.00 <u>\$ 25.00</u>
<u>50 amp (208V, 3 phase)</u>	<u>\$ 52.00</u>
100 amp/208 volt <u>100 amp (208V, 3 phase)</u>	48.00 <u>\$ 86.00</u>
100 amp/480 volt <u>100 amp (480V, 3 phase)</u>	120.00 <u>\$ 198.00</u>

...

(i) Shorepower cost adjustment - The shorepower access fees should be reviewed and adjusted annually.

Section 3. Notice of Proposed Adoption of a Regulation. The notice requirements of CBJ 01.60.200 were followed by the agency. The notice period began on

_____, which is not less than 21 days before the date of adoption of these regulations as set forth below.

Adoption by Agency

After considering all relevant matter presented to it, the agency hereby amends these regulations as set forth above. The agency will next seek Assembly review and approval.

Date: _____

Carl Uchytel
Port Director

Legal Review

These regulations have been reviewed and approved in accordance with the following standards set forth in CBJ 01.60.250:

- (1) Consistency with federal and state law and with the charter, code, and other municipal regulations;
- (2) The existence of code authority and the correctness of the required citation of code authority; and
- (3) Its clarity, simplicity of expression, and absence of possibility of misapplication.

Date: _____

Robert H. Palmer III
Assistant Municipal Attorney

Assembly Review

These regulations were presented to the Assembly at its meeting of _____. They were adopted by the Assembly.

Date: _____

Laurie J. Sica, Clerk

Filing with Clerk

I certify, as the clerk of the City and Borough of Juneau, that the following statements are true:

These regulations were accepted for filing by the office of the clerk on the ____ day of _____, _____.

A permanent file of the signed originals of these regulations will be maintained in this office for public inspection.

Effective date: _____.

Date: _____

Laurie J. Sica, Clerk